

ILLUMINATED INDOOR SCORETABLE



STANDARD COLOR PADS (CUSTOM COLORS AVAILABLE)

| | | | | | | | | | | |
|-------|------|------|-----------------|--------|----------|-----|--------|----------------|-------|-----------------|
| BLACK | NAVY | BLUE | BRISTOL BLUE | PURPLE | BURGUNDY | RED | ORANGE | YELLOW GOLD | GREEN | FOREST GREEN |
|-------|------|------|-----------------|--------|----------|-----|--------|----------------|-------|-----------------|

OVERALL DIMENSION

6' (2-3 People): 2'8" High x 6' Wide x 29" Deep.
 8' (3-4 People): 2'8" High x 8' Wide x 29" Deep.
 10' (4-5 People): 2'8" High x 10' Wide x 29" Deep.
Bleacher mount scoretables will add 9.5" to the height of the scoretable.

DISPLAY AREA

6' Table: 25" High x 66.2" Wide
 8' Table: 25" High x 90.2" Wide
 10' Table: 25" High x 116.2" Wide

CONSTRUCTION

Durable steel frame. Face panels made from shatter-proof polycarbonate. Digitally printed faces are illuminated by an LED lit lightpan. Available in floor and bleacher mounted models. Cup holders and tabletop outlets included in black 3/4" composite laminate tabletop.

FLOOR OR BLEACHER MOUNT

Bleacher mount version contains additional pads in front below display area, adding 9.5" to overall height. Designed to either sit in front of the bleachers or sit inside on the bleacher floor. Both models have skid resistant polyurethane castors for easy mobility.

HORN

None in the standard models. Horn Installed in the Scoreboard variations.

SERVICING

Front access for LED modules. Rear access for Power Bus Bar and Power Supply replacement.

POWER REQUIREMENTS

120VAC. Minimum one 20A circuit is recommended. Each unit contains 2 Power Grommets installed on the tabletop for easy access to power sport consoles, laptops, possession indicators, etc.

INSTALLATION

Uncrate. Scoretable is portable via skid resistant polyurethane wheels.

STORAGE

Available canvas covers help protect your table when not in use. Table does not fold up for storage.

WARRANTY

Limited 1 year warranty against defects in materials and workmanship. Factory repair service for parts in warranty. Union label. UL Certified.

VARIATIONS

FLOOR MODELS

BLEACHER MODELS

6' Table (2 to 3 People)

SCTBL6FTFL

SCTBL6FTBCH

8' Table (3 to 4 People)

SCTBL8FTFL

SCTBL8FTBCH

10' Table (4 to 5 People)

SCTBL10FTFL

SCTBL10FTBCH

w/ built in Scoreboard

Available in 8' and 10' models, compatible with other 9000 Series scoreboards and Consoles. Displays Time, Score, Period, Bonus/Double Bonus.

Deluxe LED Video Scoretables

See Deluxe Scoretables for more information. Standard and Deluxe Tables are not intended to be combined. Angled face, Aluminum Tabletop, 2.9, 3.9, and 5.9mm available.

INDOOR SCOREBOARD SCORETABLE



STANDARD COLOR PADS (CUSTOM COLORS AVAILABLE)

| BLACK | NAVY | BLUE | BRISTOL BLUE | PURPLE | BURGUNDY | RED | ORANGE | YELLOW GOLD | GREEN | FOREST GREEN |
|-------|------|------|--------------|--------|----------|-----|--------|-------------|-------|--------------|
|-------|------|------|--------------|--------|----------|-----|--------|-------------|-------|--------------|

OVERALL DIMENSION

8' (3-4 People): 2'8" High x 8' Wide x 29" Deep.
 10' (4-5 People): 2'8" High x 10' Wide x 29" Deep.
Bleacher mount scoretables will add 9.5" to the height of the scoretable.

DISPLAY AREA

8' Table: 25" High x 90.2" Wide
 10' Table: 25" High x 116.2" Wide

CONSTRUCTION

Durable steel frame. Face panels made from shatter-proof polycarbonate. Digitally printed faces are illuminated by an LED lit lightpan. Available in floor and bleacher mounted models.

FLOOR OR BLEACHER MOUNT

Bleacher mount version contains additional pads in front below display area, adding 9.5" to overall height. Designed to either sit in front of the bleachers or sit inside on the bleacher floor.

INFORMATION DISPLAYED

Game Time, Home and Guest Score, Period, Bonus & Double Bonus

DIGITS

Bright Red and Amber, 7-Segment LEDs.

GAME TIME

10" High Red Digits, Shall register 0:00 - 99:59, 1/10 second capable.

SCORE

10" High Amber Digits, Shall register 0-199.

PERIOD

6" High Amber Digits, Shall register 1-4, 0 (overtime).

BONUS / DOUBLE BONUS

Indicated by 2" Red LED Indicators.

CAPTIONS

White vinyl letters.

HORN

100dB Horn Installed.

SERVICING

Front access for Digits and Controller Assembly.

POWER REQUIREMENTS

120VAC. Minimum one 20A circuit is recommended. Each unit contains 2 Power Grommets installed on the tabletop for easy access to power sport consoles, laptops, possession indicators, etc.

INSTALLATION

Uncrate. Scoretable is portable via skid resistant polyurethane wheels.

STORAGE

Available canvas covers help protect your table when not in use. Table does not fold up for storage.

WARRANTY

Limited 1 year warranty against defects in materials and workmanship. Factory repair service for parts in warranty. Union label. UL Certified.

AVAILABLE CONTROL CONSOLE (SOLD SEPARATELY)

Connect with new or existing 9000 Scoreboard Console (MSC9000 or HRBK9000). Control independently or with existing 9000 Series system.

MSC9000 (Multi-sport Desktop Console) Extruded Aluminum, high impact low profile microprocessor control console. 5" high x 10.25" wide x 9" deep. Weight: 4.3 lbs. Radio (1600 ft) is standard, simultaneous hardwire option included. Internal rechargeable battery. Switch between multiple sports by changing the slip sheet.
 HRBK9000 (Handheld Basketball Remote) 6.5" high x 3" wide x 1" deep. Radio (500 ft) is standard. Internal rechargeable battery.



TABLETOP POWER GROMMETS

Each table has 2 Tabletop Power Grommets installed for easy power access for Control Consoles, Possession Indicators, Laptops, etc. Each Power Grommet contains 2 AC Outlets, a USB-C and a USB-A.

SLEEK BLACK TABLETOP

We've replaced the wood grain tabletop with a sleek black finish, including Cup Holders and Power Grommets.



IMPROVED STRENGTH

We've eliminated all hinges to supply a stronger, more reliable tabletop. New optional canvas covers fit new and old style tables (with the tabletop down).







POWER INLET





Plug in the table with any standard 14 AWG extension cord (not supplied).

HEAVY-DUTY CASTERS

Locking Casters on the operator side ensures the table remains in position until time to move into storage. These 3" casters are designed for easy mobility over floor transitions.







LED INDOOR DELUXE VIDEO SCORETABLE




STANDARD COLOR PADS (CUSTOM COLORS AVAILABLE)

| BLACK | NAVY | BLUE | BRISTOL BLUE | PURPLE | BURGUNDY | RED | ORANGE | YELLOW GOLD | GREEN | FOREST GREEN |
|-------|------|------|--------------|--------|----------|-----|--------|-------------|-------|--------------|
|-------|------|------|--------------|--------|----------|-----|--------|-------------|-------|--------------|

| | |
|--------------------|---|
| OVERALL DIMENSION | 6' (2-3 People): 40.5" High x 74" Wide x 33.75" Deep. 10' (4-5 People): 40.5" High x 123" Wide x 33.75" Deep. |
| DISPLAY AREA | 6' Table: 29" High x 69" Wide 10' Table: 29" High x 118" Wide Tables of different lengths can be connected together to create wider continuous display areas (Up to 60'). May also connect to Deluxe Static and Deluxe Scoreboard Scoretables. Displays have a 5° tilt, for ease of viewing from the stands. |
| RESOLUTION | Available in 2.9mm, 3.9mm, and 5.9mm configurations. (SMD 3-in-1). 2.9mm, 800 nits, up to 30' in continuous length. 3.9mm, 800 or 3500 nits, up to 40' in continuous length 5.9mm, 800 or 3500 nits, up to 60' in continuous length |
| CONSTRUCTION | Heavy-Duty construction, Union Made in the USA. Black Powder-Coated protection. Durable steel frame. Aluminum formed tabletop. 3" durable non-marking casters for easy transportation. Protective polycarbonate sheet helps protect the display from impact. Cup holders and (2) 6-Outlet Tabletop Power Stations. Primary Tables include Top, Bottom and Side Pads. Secondary Tables do not include side pads. |
| HORN | None in the video models. Horn Installed in the Scoreboard variation. |
| SERVICING | Front access for LED Module Replacement and access to internal components. Rear access for Power Supply replacement in Deluxe Illuminated Static or Deluxe Scoreboard versions. |
| POWER REQUIREMENTS | 120VAC. Minimum two (2) 15A circuits required; one circuit dedicated to the display and a second for the PC and Accessories. Each unit contains two 6-outlet power stations for sport consoles, laptops, monitors, possession indicators, cell phones, etc. |
| INSTALLATION | Requires multiple people to uncrate. Crate has built-in ramps to allow scoretable to roll safely from the crate. Scoretable is portable via 3" skid resistant polyurethane wheels. |
| OPERATING SYSTEM | Ignite Sports PC with preloaded content, including thousands of animations and images for every sport and occasion. Ignite Sports Production and Editing Suite and lifetime training included. |
| VARIATIONS | Primary: Includes top, bottom, side pads, PC and NovaStar Sign Controller. Secondary: Does not include side pads, or PC or NovaStar Sign Controller. Deluxe Illuminated Static: Traditional LED backlit static scoretable with printed face. Deluxe Non-Illuminated Static: Traditional static scoretable with printed face. Deluxe Scoreboard: Scoretable with a built-in 9000 Series Scoreboard. Requires 9000 Series Desktop or Handheld Console. |
| STORAGE | Unlock wheels and roll to location. Tabletop does not hinge. |
| WARRANTY | Limited 5 year warranty against defects in materials and workmanship. Factory repair service for parts in warranty. Union label. UL Certified and FCC Compliant. |

PRODUCT SPECIFICATIONS
INDOOR PORTABLE DELUXE SCORETABLE

ALL AMERICAN
SCOREBOARDS®



DEVELOPED, ENGINEERED, MANUFACTURED, ASSEMBLED, TESTED... **UNION MADE IN THE USA**



Features

- 6' and 10' wide tables available. Connectable.
- Durable steel frame.
- Aluminum formed tabletop.
- 3" durable non-marking casters.
- Protective polycarbonate sheet.
- (2) 6-Outlet Tabletop Power Stations.
- Built in storage areas.
- Includes PC with Ignite Sports.
- Thousands of animations and still images.
- Easily create and edit media for custom content.
- NovaStar Controller
- Adjustable Monitor Stand
- Cup Holders
- Connects to other Video, Backlit and Scoreboard Tables

Available in 2.9mm, 3.9mm, and 5.9mm Pitch.

- 2.9mm, 800 nits, up to 30' in continuous length.
- 3.9mm, 800 or 3500 nits, up to 40' in length.
- 5.9mm, 800 or 3500 nits, up to 60' in length.



OPERATING SYSTEM

RACKMOUNT PC, IGNITE SPORTS 2.0, VAST MEDIA LIBRARY, OPTIONAL VSI



VIDEO
SCOREBOARD
INTERFACE



ALL AMERICAN SCOREBOARDS®



SIDE VIEW



TOP VIEW

PRODUCT SPECIFICATIONS

BASKETBALL ACCESSORY

ALL AMERICAN

SCOREBOARDS®

INDOOR POSSESSION INDICATOR

BKPOSS



| | |
|----------------------|--|
| OVERALL DIMENSION | 6.25" High x 10.6" Wide x 3.25" Depth. |
| CONSTRUCTION | Aluminum Extruded Base, .5" Thick Routed Acrylic. Indoor Use Only. |
| INFORMATION | Possession (Red Arrows). |
| CAPTIONS | None. |
| HORN | None. |
| ELECTRONICS / DIGITS | 100% solid state LED Strips, Controlled by membrane keypad on back of unit. |
| SERVICING | Removable endplates allows access to internal components and acrylic panels. |
| COMMUNICATION | None. |
| POWER REQUIREMENTS | 100-240VAC, .2 Amp Plug-In Wall Cube. |
| INSTALLATION | Sits on table-top or on bracket stand to elevate further above pads. Arrows and Bonus Indicators illuminate above the pads on an All American Scoretable without the need of brackets. |
| WEIGHT | 3 lbs. |
| WARRANTY | Two-year guarantee against defects in materials and workmanship. Factory repair service for parts in warranty. Union label. UL Certified. |
| ALTERNATIVE OPTIONS |  The image shows the BKBONUS alternative option, which features illuminated red arrows and blue bonus indicators (circles) on a black base with the 'ALL AMERICAN SCOREBOARDS' logo. |

BKBONUS


(Possession Arrows & Bonus Indicators)

PRODUCT SPECIFICATIONS

BASKETBALL ACCESSORY

INDOOR POSSESSION INDICATOR

BKBONUS



| | |
|----------------------|--|
| OVERALL DIMENSION | 6.25" High x 23.6" Wide x 3.25" Depth. |
| CONSTRUCTION | Aluminum Extruded Base, .5" Thick Routed Acrylic. Indoor Use Only |
| INFORMATION | Possession (Red Arrows), Bonus (Blue Circles). |
| CAPTIONS | None. |
| HORN | None. |
| ELECTRONICS / DIGITS | 100% solid state LED Strips, Controlled by membrane keypad on back of unit. |
| SERVICING | Removable endplates allows access to internal components and acrylic panels. |
| COMMUNICATION | None. |
| POWER REQUIREMENTS | 100-240VAC, .2 Amp. Plug-In Wall Cube. |
| INSTALLATION | Sits on table-top or on bracket stand to elevate further above pads. Arrows and Bonus Indicators illuminate above the pads on an All American Scoretable without the need of brackets. |
| WEIGHT | 6 lbs. |
| WARRANTY | Two-year guarantee against defects in materials and workmanship. Factory repair service for parts in warranty. Union label. UL Certified. |

ALTERNATIVE OPTIONS

BKPOSS
(Possession Arrows Only)

